



CHILD MEAL PATTERN

BREAKFAST				
(Select all three components for a reimbursable meal)				
Food Components and Food Items ¹	Ages 1-2	Ages 3-5	Ages 6-12	Ages 13-18 ² (Emergency Shelters)
Fluid Milk³	4 fluid ounces	6 fluid ounces	8 fluid ounces	8 fluid ounces
Vegetables, Fruits, or portions of both⁴	¼ cup	½ cup	½ cup	½ cup
Grains (oz eq)^{5,6,7}				
Whole grain-rich or enriched bread	½ slice	½ slice	1 slice	1 slice
Whole grain-rich or enriched bread product, such as biscuit, roll or muffin	½ serving	½ serving	1 serving	1 serving
Whole grain-rich, enriched or fortified cooked breakfast cereal ⁸ , cereal grain, and/or pasta	¼ cup	¼ cup	½ cup	½ cup
Whole grain-rich, enriched or fortified ready-to-eat breakfast cereal (dry, cold) ^{8,9}				
Flakes or rounds	½ cup	½ cup	1 cup	1 cup
Puffed cereal	¾ cup	¾ cup	1 ¼ cup	1 ¼ cup
Granola	⅛ cup	⅛ cup	¼ cup	¼ cup

¹ Must serve all three components for a reimbursable meal.

² Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

³ Must be unflavored whole milk for children age one. Must be unflavored low fat (1 percent) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored low fat (1 percent), unflavored fat-free (skim), or flavored fat-free (skim) milk for children six years old and older.

⁴ Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

⁵ At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards meeting the grains requirement.

⁶ Meat and meat alternates may be used to meet the entire grains requirement a maximum of three times a week. One ounce of meat and meat alternates is equal to one ounce equivalent of grains.

⁷

Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.

8

Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).

9

Beginning October 1, 2019, the minimum serving size specified in this section for ready-to-eat breakfast cereals must be served. Until October 1, 2019, the minimum serving size for any type of ready-to-eat breakfast cereals is ¼ cup for children ages 1-2; 1/3 cup for children ages 3-5; and ¾ cup for children ages 6-12.

This institution is an equal opportunity provider.

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.

009 Child Meal Pattern

; Previous versions obsolete

CHILD MEAL PATTERN

LUNCH and SUPPER				
(Select all five components for a reimbursable meal)				
Food Components and Food Items ¹	Ages 1-2	Ages 3-5	Ages 6-12	Ages 13-18 ² <small>(Emergency Shelters)</small>
Fluid Milk³	4 fluid ounces	6 fluid ounces	8 fluid ounces	8 fluid ounces
Meat/Meat Alternates				
Lean meat, poultry, or fish	1 ounce	1 ½ ounce	2 ounces	2 ounces
Tofu, soy product, or alternate protein products ⁴	1 ounce	1 ½ ounce	2 ounces	2 ounces
Cheese	1 ounce	1 ½ ounce	2 ounces	2 ounces
Large egg	½	¾	1	1
Cooked dry beans or peas	¼ cup	⅜ cup	½ cup	½ cup
Peanut butter or soy nut butter or other nut or seed butters	2 tbsp	3 tbsp	4 tbsp	4 tbsp
Yogurt, plain or flavored unsweetened or sweetened ⁵	4 ounces or ½ cup	6 ounces or ¾ cup	8 ounces or 1 cup	8 ounces or 1 cup

The following may be used to meet no more than 50% of the requirement: Peanuts, soy nuts, tree nuts, or seeds, as listed in program guidance, or an equivalent quantity of any combination of the above meat/meat alternates (1 ounces of nuts/seeds = 1 ounce of cooked lean meat, poultry, or fish)	½ ounce = 50%	¾ ounce = 50%	1 ounce = 50%	1 ounce = 50%
Vegetables⁶	⅛ cup	¼ cup	½ cup	½ cup
Fruits^{6,7}	⅛ cup	¼ cup	¼ cup	¼ cup
Grains (oz eq)^{8,9}				
Whole grain-rich or enriched bread	½ slice	½ slice	1 slice	1 slice
Whole grain-rich or enriched bread product, such as biscuit, roll or muffin	½ serving	½ serving	1 serving	1 serving
Whole grain-rich, enriched or fortified cooked breakfast cereal ¹⁰ , cereal grain, and/or pasta	¼ cup	¼ cup	½ cup	½ cup

This institution is an equal opportunity provider.

009 Child Meal Pattern

; Previous versions obsolete

¹ Must serve all five components for a reimbursable meal.

² Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

³ Must be unflavored whole milk for children age one. Must be unflavored low fat (1 percent) or unflavored fat-free (skim) milk for children two through five years old. Must be unflavored low fat (1 percent), unflavored fat-free (skim), or flavored fat-free (skim) milk for children six years old and older.

⁴ Alternate protein products must meet the requirements in Appendix A to Part 226.

⁵ Yogurt must contain no more than 23 grams of total sugars per 6 ounces.

⁶ Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.

⁷ A vegetable may be used to meet the entire fruit requirement. When two vegetables are served at lunch or supper, two different kinds of vegetables must be served.

- ⁸ At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards the grains requirement.
- ⁹ Beginning October 1, 2019, ounce equivalents are used to determine the quantity of the creditable grain.
- ¹⁰ Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.

This institution is an equal opportunity provider.

*009 Child Meal Pattern
; Previous versions obsolete*

CHILD MEAL PATTERN

SNACK (SUPPLEMENT)				
(Select two of the five components for a reimbursable snack)				
Food Components and Food Items ¹	Ages 1-2	Ages 3-5	Ages 6-12	Ages 13-18 ² <small>(Emergency Shelters)</small>
Fluid Milk³	4 fluid ounces	4 fluid ounces	8 fluid ounces	8 fluid ounces
Meat/Meat Alternates				
Lean meat, poultry, or fish	½ ounce	½ ounce	1 ounce	1 ounce
Tofu, soy product, or alternate protein products ⁴	½ ounce	½ ounce	1 ounce	1 ounce
Cheese	½ ounce	½ ounce	1 ounce	1 ounce
Large egg	½	½	½	½
Cooked dry beans or peas	⅛ cup	⅛ cup	¼ cup	¼ cup
Peanut butter or soy nut butter or other nut or seed butters	1 tbsp	1 tbsp	2 tbsp	2 tbsp
Yogurt, plain or flavored unsweetened or sweetened ⁵	2 ounces or ¼ cup	2 ounces or ¼ cup	4 ounces or ½ cup	4 ounces or ½ cup
Peanuts, soy nuts, tree nuts, or seeds	½ ounce	½ ounce	1 ounce	1 ounce
Vegetables⁶	½ cup	½ cup	¾ cup	¾ cup
Fruits⁶	½ cup	½ cup	¾ cup	¾ cup
Grains (oz eq)^{7,8}				
Whole grain-rich or enriched bread	½ slice	½ slice	1 slice	1 slice
Whole grain-rich or enriched bread product, such as biscuit, roll or muffin	½ serving	½ serving	1 serving	1 serving
Whole grain-rich, enriched or fortified cooked breakfast cereal ⁹ , cereal grain, and/or pasta	¼ cup	¼ cup	½ cup	½ cup
Whole grain-rich, enriched or fortified ready-to-eat breakfast cereal (dry, cold) ^{9,10}				
Flakes or rounds	½ cup	½ cup	1 cup	1 cup
Puffed cereal	¾ cup	¾ cup	1 ¼ cup	1 ¼ cup
Granola	⅛ cup	⅛ cup	¼ cup	¼ cup

- ¹ Select two of the five components for a reimbursable snack. Only one of the two components may be a beverage.
- ² Larger portion sizes than specified may need to be served to children 13 through 18 years old to meet their nutritional needs.

This institution is an equal opportunity provider.

CACFP-009 Child Meal Pattern
Revised 6/2022; Previous versions obsolete

4

- ³ Must be unflavored whole milk for children age one. Must be unflavored low fat (1 percent) or unflavored fat-free. (skim) milk for children two through five years old. Must be unflavored low fat (1 percent), unflavored fat-free (skim), or flavored fat-free (skim) milk for children six years old and older.
- ⁴ Alternate protein products must meet the requirements in Appendix A to Part 226.
- ⁵ Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- ⁶ Pasteurized full-strength juice may only be used to meet the vegetable or fruit requirement at one meal, including snack, per day.
- ⁷ At least one serving per day, across all eating occasions, must be whole grain-rich. Grain-based desserts do not count towards meeting the grains requirement.
- ⁸ Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.
- ⁹ Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of drycereal).
- ¹⁰ Beginning October 1, 2019, the minimum serving sizes specified in this section for ready-to-eat breakfast cereals must be served. Until October 1, 2019, the minimum serving size for any type of ready-to-eat breakfast cereals is ¼ cup for children ages 1-2; 1/3 cup for children ages 3-5; and ¾ cup for children ages 6-12.

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.

This institution is an equal opportunity provider.

*CACFP-009 Child Meal Pattern
Revised 6/2022; Previous versions obsolete*

5



This page intentionally left blank.

This institution is an equal opportunity provider.

CACFP-009 Child Meal Pattern

Revised 7/2021; Previous versions obsolete

BREAKFAST	
Birth through 5 months	6 through 11 months
4-6 fluid ounces breastmilk ¹ or formula ²	6-8 fluid ounces breastmilk ¹ or formula ² ; and 0-4 tablespoons infant cereal ^{2,3} meat, fish, poultry, whole egg, cooked dry beans, or cooked dry peas; or 0-2 ounces of cheese; or 0-4 ounces (volume) of cottage cheese; or 0-4 ounces or ½cup of yogurt ⁴ ; or a combination of the above ⁵ ; and 0-2 tablespoons vegetable or fruit or a combination of both ^{5,6}

¹Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.

²Infant formula and dry infant cereal must be iron-fortified.

³Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.

⁴Yogurt must contain no more than 23 grams of total sugars per 6 ounces.

⁵A serving of this component is required when the infant is developmentally ready to accept it.

⁶Fruit and vegetable juices must not be served.

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.

LUNCH and SUPPER	
Birth through 5 months	6 through 11 months
4-6 fluid ounces breastmilk ¹ or formula ²	6-8 fluid ounces breastmilk ¹ or formula ² ; and 0-4 tablespoons infant cereal ^{2,3} meat, fish, poultry, whole egg, cooked dry beans, or cooked dry peas; or 0-2 ounces of cheese; or 0-4 ounces (volume) of cottage cheese; or 0-4 ounces or ½cup of yogurt ⁴ ; or a combination of the above ⁵ ; and 0-2 tablespoons vegetable or fruit or a combination of both ^{5,6}

¹Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.

²Infant formula and dry infant cereal must be iron-fortified.

³Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.

⁴Yogurt must contain no more than 23 grams of total sugars per 6 ounces.

⁵A serving of this component is required when the infant is developmentally ready to accept it.

⁶Fruit and vegetable juices must not be served.

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.

SNACK (SUPPLEMENT)	
Birth through 5 months	6 through 11 months
4-6 fluid ounces breastmilk ¹ or formula ²	2-4 fluid ounces breastmilk ¹ or formula ² ; and 0-½ slice bread ^{3,4} ; or 0-2 crackers ^{3,4} ; or 0-4 tablespoons infant cereal ^{2,3,4} or ready-to-eat breakfast cereal ^{3,4,5,6} ; and 0-2 tablespoons vegetable or fruit, or a combination of both ^{6,7}

¹Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.

²Infant formula and dry infant cereal must be iron-fortified.

³Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.

⁴A serving of grains must be whole grain-rich, enriched meal, or enriched flour.

⁵Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams sucrose and other sugars per 100 grams of dry cereal).

⁶A serving of this component is required when the infant is developmentally ready to accept it.

⁷Fruit and vegetable juices must not be served.

Please be advised that deviations to the CACFP meal pattern may occur only if the institution has been approved to participate in the COVID-19 Nationwide Waiver 91; Meal Pattern Flexibility Extension #1. The waiver and the waiver request form are located in the Download Forms section of CHAAMPS.